



HYDROSTRAW® ALL PURPOSE STRAW CERTIFICATE OF COMPLIANCE

CERTIFICATE OF COMPLIANCE

Patents Pending

Manufacturer: HydroStraw, LLC · 3676 W 9000N Rd · Manteno, IL 60950
Toll Free: 800-545-1755 · Fax: 815-468-7450 · www.hydrostraw.com · info@hydrostraw.com

HydroStraw, LLC certifies that HydroStraw® All Purpose Straw contains the following properties and characteristics



DESCRIPTION-

HydroStraw® All Purpose Straw is hand applied straw product with a specially formulated composition of annually renewable straw fiber. All Purpose Straw™, a specially formulated composition of an annually renewable straw fibers that have been Heat and Mechanically Treated™.

Our convenient to use straw product has all of the well-known benefits of the conventional bale of straw without the mess of transportation, handling and storage. This convenient to use all-purpose product is great for everything from seeding projects to pet bedding.

The extensive manufacturing process provides a clean, weed free straw product for your convenient use in an easy to manage package.

Great for seeding lawns and enhancing seed germination on newly seeded lawns. Increases plant health in gardens. Also saves water by retaining soil moisture. Naturally absorbs pet odor when used for animal bedding.

- New Seeding Projects
- Mulching Gardens & Roses
- Animal & Pet Bedding

SPECIFICATIONS-

The primary fiber shall be produced from annually renewable straw fiber; all fiber materials should be free from plastic materials or other non bio-degradable substances. Fiber shall be of such character that the fiber will disperse easily by hand. Fiber shall be natural colored, and shall not stain surfaces. Fiber composition shall be free from growth or germination inhibiting ingredients. In addition, tested to be weed free.

WARRANTY

HydroStraw, LLC warrants that its products are free from defects and will perform as stated in this literature. If our product does not meet products specifications, notice of failure must be received within 15 days of failure. HydroStraw, LLC will not warrant that the product will perform under unlimited circumstances that are caused by soil conditions, installation, and/or weather variables.

Last Updated Jan. 21, 2011

Physical Characteristics

Toxicity	Non-Toxic
Applied Color	Natural
Surface Tension	Material will evenly disperse when hand applied
Absorbancy	When fibers are uniformly applied, the mulch fibers form an absorbent mulch cover which will allow percolation of water and increased water infiltration to the underlying soil matrix
Solubility	Mulch Fibers are non water soluble
Application Rate	Hand Applied

Packaging and Shipping Data

Bag Size	11.5" x 17" x 25"
Bag Cu.Ft.	3.2 Cu.Ft. - Compressed Bales
Pallet	40 bags (52W x 45D x 96H)
Full Truck	22 Pallets, 880 Bales
Packaging	Moisture resistant packaging

Composition

Heat & Mechanically Treated (HMT™) - Straw	90.0% +/- 1.0%
Moisture	10.0% +/- 1.0%

Product Benefits

Easy to Spread
Enhances Seed Germination
Suppresses Weed Growth
Absorbs Pet Odors
Moisture Retention
Tested to be Weed Free



MATERIAL SAFETY DATA SHEET

Last Updated Jan. 21, 2011

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: **HydroStraw® All Purpose Formulation**

CAS Number: Mixture

Product Use: Vegetation establishment, seeding project, garden and landscape mulching and pet bedding. An alternative to traditional bales of straw.

Product Description: Hand applied mulch/product with a specially formulated composition of annually renewable straw fiber, (V.E.M.) Vegetation Establishment Mulch™, natural fibers for fiber matrix entanglement. H.M.T. Heat and mechanically treated fibers.

Company Identification: **HydroStraw, LLC**

3676 W. 9000 N. Rd.

Manteno, IL 60950 USA

(800) 545-1755 Toll Free (For product information)

(815) 468-3610

(815) 468-7450 Fax

info@hydrostraw.com

www.hydrostraw.com

2. COMPOSITION / INFORMATION ON INGREDIENTS

CONTAINING: HAZARDOUS AND/OR REGULATED COMPONENTS

Ingredients	Percentage	Hazardous
Heat & Mechanically Treated (HMT)™ - Straw	90.0%	Non-Hazardous
Moisture	10.0%	Non-Hazardous

This product is not considered hazardous under the criteria of Federal OSHA Hazard Communication Standard 29CFR 1910.1220.

California Prop 65: This product does not contain an ingredient(s), above the safe harbor limits, which are known to the state of California to cause cancer, birth defects, or other reproductive harm.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION! THIS PRODUCT MAY BE COMBUSTIBLE IF EXPOSED TO TEMPERATURES OVER 180°F. DUST FROM THIS PRODUCT MAY IRRITATE SKIN, EYES AND UPPER RESPIRATORY SYSTEM.

POTENTIAL HEALTH EFFECTS

ROUTES OF ENTRY: Inhalation, eye contact, and skin contact.

TARGET ORGANS: Respiratory System.

INHALATION: Occasional mild irritation of nose and throat may occur from inhalation of dusts at levels greater than 10 mg/m³.

INGESTION: Not a normal route of entry. Small amounts swallowed are not likely to cause effects; swallowing larger amounts may cause gastrointestinal symptoms.

SKIN CONTACT: Straw dust may cause mild mechanical irritation to skin.

EYE CONTACT: Straw dust may cause mild mechanical irritation to eyes.

CHRONIC EXPOSURE: None known

AGGRAVATION OF PRE-EXISTING CONDITIONS: Individuals with pre-existing respiratory disorders may aggravate the condition by inhalation of dust.



MATERIAL SAFETY DATA SHEET

Last Updated Jan. 21, 2011

4. FIRST AID MEASURES

INHALATION FIRST AID: Prolonged exposure to dust levels in excess of regulatory limits should always be avoided. If irritation or difficulty breathing occurs, remove victim to fresh air and provide oxygen if necessary. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention if difficulty persists.

SKIN CONTACT FIRST AID: Wash with soap and water after handling.

EYE CONTACT FIRST AID: If contact with eyes, flush with fresh water for several minutes. If irritation persists seek medical attention.

INGESTION FIRST AID: If swallowed, rinse mouth with water and give four glasses of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if needed.

NOTE TO PHYSICIANS: Treat symptoms

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES: Combustible

AUTO IGNITION TEMPERATURE: No data

FLASH POINT: No data

FLAMMABLE LIMITS IN AIR, % by Volume: lel: NE; uel: NE.

EXTINGUISHING MEDIA: Water or other standard media. Same as a wood or straw fire.

FIRE & EXPLOSION HAZARDS: May be combustible above 180°F.

SPECIAL INFORMATION:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

SPILL CLEAN-UP PROCEDURES:

Vacuum, shovel or sweep up mulch and place in containers for reuse, recycling or disposal. Always dispose of waste materials in accordance with all local, state and federal regulations.

7. HANDLING AND STORAGE

RECOMMENDED STORAGE CONDITIONS: Store in a cool, dry well-ventilated location away from heat or ignition sources. Insure packaging is in good condition for outside storage.

HANDLING (PERSONNEL): Handle in accordance with good industrial hygiene and safety practices.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

AIRBORNE EXPOSURE LIMITS: See Section 2 above.

Dust:

-OSHA Permissible Exposure Limit (PEL): 10 mg/m³ (TWA)

VENTILATION SYSTEM: A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits.

PERSONAL RESPIRATORS (NIOSH APPROVED): Required if the exposure limit is exceeded or engineering



MATERIAL SAFETY DATA SHEET

Last Updated Jan. 21, 2011

controls are not feasible. Always use a NIOSH approved respirator. A fabric respirator or a face piece respirator with dust cartridges will generally provide adequate protection.

SKIN PROTECTION: Wear gloves of leather, plastic, or rubber when loading tanks.

EYE PROTECTION: Wear safety glasses in high dust areas or when filling tanks..

GOOD HYGIENE CONDITIONS: Wash with soap and water before meals and at the end of each work shift.

Good practices require amounts of any chemical be removed from the skin as soon as practical, especially before eating or smoking.

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM: Liquid.

COLOR: Clear

ODOR: Negligible

COLOR: Natural

SPECIFIC GRAVITY: NE (Water =1)

AUTO IGNITION TEMPERATURE: Not Established

pH: 6.80

10. STABILITY AND REACTIVITY

STABILITY: Stable under ordinary conditions of use and storage.

CONDITIONS TO AVOID: Heat, flame ignition sources.

HAZARDOUS POLYMERIZATION: Will not occur

INCOMPATIBILITY WITH OTHER MATERIALS: None

HAZARDOUS DECOMPOSITION: None

11. TOXICOLOGICAL INFORMATION

Toxicological Data:

No Data Available

Cancer Lists

---NTP Carcinogen---

Ingredient

Known

Anticipated

IARC Category

All ingredients

No

No

None

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

This material is expected to have a low environmental impact.

ENVIRONMENTAL TOXICITY:

This material is not expected to be toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:

Recover, reclaim or recycle when practical.

Dispose of material in accordance with federal, state and local requirements.



MATERIAL SAFETY DATA SHEET

Last Updated Jan. 21, 2011

14. TRANSPORTATION INFORMATION

This Product is not regulated by the U.S. Department of Transportation.

15. REGULATORY INFORMATION

FEDERAL REGULATORY STATUS

Federal, State & International Regulations - Part 1

	<u>-SARA 302-</u>		<u>List</u>	<u>-SARA 313-</u>
Ingredient	<u>RQ</u>	<u>TPQ</u>		<u>Chemical Catalog</u>
All ingredients	NO	NO	NO	NO

Federal, State & International Regulations - Part 2

	<u>CERCLA</u>	<u>-RCRA-</u>	<u>-TSCA-</u>
Ingredient		<u>261.33</u>	<u>8(d)</u>
All ingredients	NO	NO	NO

SARA 311/312: Acute: Yes Chronic: No Fire: Yes Pressure: No

Reactivity: No (Pure / Liquid)

PROP 65 - WARNING:

THIS PRODUCT DOES NOT CONTAIN A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

RCRA 40 CFR: None

16. OTHER INFORMATION

Prepared By: Paul Eigbrett (MSDS Authoring Services)

Part Number: 081310HG

ADDITIONAL INFORMATION:

The data in this Material Safety Data Sheet relates only to the specific material designated herein. It does not relate to use in combination with any other material or in any process. This Material Safety Data Sheet (MSDS) has been reviewed to fully comply with the guidance contained in the ANSI MSDS standard (ANSI Z400.1-2004)

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



MATERIAL SAFETY DATA SHEET

Last Updated Jan. 21, 2011



END OF MSDS